



AIRLESSCO™

MANUFACTURED BY GRACO®



**BUILT TO PERFORM.
BUILT TO LAST.**

PROFESSIONAL SPRAY EQUIPMENT





Maximize performance. Minimize costs.

Why choose an Airlessco sprayer?

UNMATCHED PERFORMANCE

For operational life and low-cost maintenance, Airlessco paint sprayers outshine most other sprayers. Our newest range pumps more liters of paint with first-rate results and reliability job after job.

UNRIVALED DURABILITY

DURABLE MOTOR: Each Airlessco MP/LP/SL/TS Sprayer is built with an ultra-durable DC motor. They turn slower, driving the pump with a solid gear system. The motors are larger with more torque, making them longer lasting and more reliable.

LONG LIFE PISTON: Airlessco pumps utilize hardened stainless steel and chrome to deliver the longest lasting pumps available.

ADJUSTABLE PACKINGS: Airlessco's exclusive Pro-Duty Pump design is the only one that lets you tighten upper and lower packing tension from outside the pump, extending the life of the packings.

SERVICE

Professionals who use paint sprayers daily need customer service and technical support that keeps the pace. Airlessco's full-service technical department is standing by to give you in-the-moment advice and help.

Quick Repair Pump™

- Fast on-the-job pump repair
- No special tools required
- Eliminates costly downtime

Pro-Duty Pump™

- Chrome-plated rods and adjustable packings for extended pump life

Heavy-Duty Drive System

- 2-stage gear drive delivers both reliability and precision without the use of a belt



A SPRAYER FOR EVERY JOB:

RESIDENTIAL – HVLP (pg 4-7)

RESIDENTIAL/LIGHT COMMERCIAL – MP Series (pg 8-9) and LP Series (pg 10-13)

RESIDENTIAL/MEDIUM COMMERCIAL & LIGHT INDUSTRIAL – SL Series (pg 14)

INDUSTRIAL – TS Series (pg 15) – HSS Series (pg 16)

PROFESSIONAL STRIPING – SureStripe Series (pg 17)

ACCESSORIES – (pg 18-25)



HVLP SERIES



HIGH VOLUME LOW PRESSURE PAINT SPRAYER FOR RESIDENTIAL USE

With the HV4000 Luxe, the Airlessco offer gets completed with an HVLP sprayer, covering all fine finish jobs with optimal finish quality and minimal overspray. This turbine gets shipped with a top of the line spray gun, 1 liter cup, a flexible air hose and motor speed regulation at the unit.

The HV4000 Luxe is powered by a 4 stage turbine and loaded with latest technological features, like the turbine that shuts off automatically if no air is needed at the gun.



HV4000 Luxe

- APPLICATIONS:** Small and big fine finish jobs on wood and metal
SPRAY: Water and solvent-based fine finish materials (enamels, lacquers,...)
USAGE: Up to 50 m² per day
FEATURES:
- Convenient, light and transportable 4-stage turbine
 - Turbine speed control at the unit with LED indication
 - **Turbine stops automatically if no air needed** at the gun
 - Lightweight gun delivered with 1 liter suction cup and gravity cup
 - Manual regulation of air and fluid ratio, to your own preference
 - Fan direction and pattern control at the nozzle
 - Easy needle exchange
 - Gun and needle storage at the turbine
 - Air filtration with automotive high density filter
- INCLUDES:** 9 m hose, 1.2 m whip hose, gun, 1 liter suction, gravity cup and #3, #4 needles



SPECIFICATIONS

SPECIFICATIONS	HV4000
Model Type	Luxe
Part Number 230 V	17P546
Number of turbine stages	4
Max Working Pressure bar / psi	0.6 / 9
Hose Length m / ft	9 / 30
Whip hose m / ft	1.2 m / 4
Cup litre / gallon	1 / 0.25
Gun dock	✓
Needle storage	✓
Needle	#3, #4
Turbine speed regulation	✓ + LED indication
Automatic stop turbine	✓
Fan width regulation at the gun	✓
Air regulation at gun	✓
Fluid regulation at gun	✓
Convertible to gravity cup	✓
Gravity cup delivered with the unit	✓

ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL USE

These entry-level sprayers spray a variety of interior and exterior water and/or solvent-based coatings. They're ideal for the contractor who sprays occasionally or has one big job, or for a homeowner painting the whole house. Compact, lightweight piston pumps make these sprayers easy to move around the job site, and the Quick Repair Pump system lets you repair the pump on the spot and keep moving.

SP310

- APPLICATIONS:** Occasional small residential projects
- SPRAY:** Water and solvent-based coatings, 100% acrylics, stains and varnishes
- USAGE:** Up to 450 litre per year
- FEATURES:**
- Durable stainless steel piston pump with replaceable pump design
 - Ball Knocker assures fast priming every time - loosens stuck inlet check valves in case of priming issues
 - Proven motor 5/8 HP DC (0,47 kW) design, used in the Magnum by Graco range
 - Hi-Cart enables you to roll the unit on the jobsite and provides optimal hose management, keeping it clean and off the ground. The Hi-Cart comes with no air tires – no risk on flats
 - Pressure control with user-friendly symbols for simple selection of operating modes
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun and 515 ARV Tip



SP380

- APPLICATIONS:** Small to medium residential projects
- SPRAY:** Water and solvent-based coatings, 100% acrylics, stains and varnishes
- USAGE:** Up to 1,900 litre per year
- FEATURES:**
- Pump directly from your paint container
 - Power-piston pump with Quick Repair technology and long life
 - InstaClean™ pump filter helps remove debris, reducing tip plugs and providing a better finish
 - Lightweight stand is easy to carry to any job site
 - Pressure control with user-friendly symbols for simple selection of operating modes
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun and 515 ARV Tip



SP470

- APPLICATIONS:** Medium residential projects
- SPRAY:** Water and solvent-based coatings, 100% acrylics, stains and varnishes
- USAGE:** Up to 3,000 litre per year
- FEATURES:**
- Power-piston pump with Quick Repair technology and long life
 - Ball Knocker assures fast priming every time – loosens stuck inlet check valves in case of priming issues
 - InstaClean™ pump filter helps remove debris, reducing tip plugs and providing a better finish
 - Hi-Cart enables you to roll the unit on the jobsite and provides optimal hose management, keeping it clean and off the ground. The Hi-Cart comes with no air tires – no risk on flats
 - Pressure control with user-friendly symbols for simple selection of operating modes
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun and 515 ARV Tip



SPECIFICATIONS	SP310	SP380	SP470
Model Type	Hi-Cart	Stand	Hi-Cart
Part Number 230 V	18H283	17G185	18H288
Max Tip Size	0.017"	0.019"	0.021"
Max Output lpm / gpm	1.17 / .031	1.4 / 0.38	1.8 / 0.48
Max Working Pressure bar / psi	207 / 3,000	207 / 3,000	207 / 3,000
Max Hose Length m / ft	15 / 50	15 / 50	15 / 50
Unit Weight kg / lbs	13 / 28	13 / 28	23 / 50
Motor	5/8 HP DC	7/8 HP DC	7/8 HP DC



QUICK REPAIR PUMP SYSTEM

Skip the downtime and extra costs of waiting for replacement parts or driving to the service center. Airlessco keeps you productive with the Quick Repair Pump system. With a spare cartridge kit on hand, you can remove and replace the cartridge in four simple steps and get back to work.



1. SLIDE OPEN THE ACCESS DOOR



2. REMOVE PUMP SECTION



3. USE FRAME TO REMOVE CARTRIDGE



4. INSTALL NEW CARTRIDGE AND REPLACE PUMP

MP SERIES



ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/LIGHT COMMERCIAL USE

MP and LP Series sprayers features tough, compact, well-balanced frames, protecting the pump and making it easy to carry. The pump is the core of any airless sprayer, and these are built with Airlessco's Pro-Duty Quick Repair pump with externally adjustable packing that keeps you spraying. With it's fan-cooled DC motor, you get reliable performance every day.

MP455

APPLICATIONS: Medium to large residential projects
SPRAY: Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers

USAGE: Up to 5700 litre per year

FEATURES:

- Industrial quality high torque DC motor
- Pro-Duty pump with chrome piston rod and pump cylinder
- Exclusive externally adjustable packings
- Reliable pressure control for smooth spraying
- Vertical easy-out manifold filter

INCLUDES: BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 ARV Tip



SPECIFICATIONS MP455

SPECIFICATIONS	MP455
Model Type	Stand
Part Number 230 V	26F505
Max Tip Size	0.021"
Max Output lpm / gpm	1.8 / 0.48
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	30 / 90
Unit Weight kg / lbs	15 / 34
Motor	5/8 HP DC



LP SERIES



ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/LIGHT COMMERCIAL USE



LP555

- APPLICATIONS:** Medium to large residential projects and light commercial buildings
- SPRAY:** Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers
- USAGE:** Up to 9500 litre per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
 - LCD digital display
 - Industrial quality high torque TEFC DC motor
 - Pro-Duty pump with chrome piston rod and pump cylinder
 - Exclusive externally adjustable packings
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 ARV Tip

LP655

- APPLICATIONS:** Medium to large residential projects and small commercial buildings
- SPRAY:** Water and solvent-based coatings, most interior decorative paints, stains, varnishes and lacquers
- USAGE:** Up to 12000 litre per year
- FEATURES:** All of the features of the LP555
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 ARV Tip

SPECIFICATIONS	LP555	LP555
Model Type	Stand	Hi-Cart
Part Number 230 V	26F506	26F507
Part Number 110 V	26F503	
Max Tip Size	0.023"	0.023"
Max Output lpm / gpm	2.0 / 0.54	2.0 / 0.54
Max Working Pressure bar / psi	227 / 3,300	227 / 3,300
Max Hose Length m / ft	45 / 135	45 / 135
Unit Weight kg / lbs	20 / 43	30 / 66
Motor	718 HP TEFC DC	718 HP TEFC DC

SPECIFICATIONS	LP655
Model Type	Hi-Cart
Part Number 230 V	26F513
Part Number 110 V	26F520
Max Tip Size	0.025"
Max Output lpm / gpm	2.3 / 0.60
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	45 / 135
Unit Weight kg / lbs	30 / 66
Motor	1.0 HP TEFC DC

LP SERIES



ELECTRIC AIRLESS PAINT SPRAYER FOR RESIDENTIAL/MEDIUM COMMERCIAL/LIGHT INDUSTRIAL USE

PRO-DUTY
**QUICK
REPAIR
PUMP**

LP955

APPLICATIONS: Large residential projects and commercial and industrial use

SPRAY: Water and solvent-based coatings, interior and exterior wall paints, roof coatings, stains, sealers, varnishes and lacquers

USAGE: Up to 15000 litre per year

- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
 - LCD digital display
 - Industrial quality, high torque brushless DC motor
 - Chrome piston rod and cylinder for long life
 - Large high pressure filter
 - Ability to spray with 2-guns
 - KickStand allows clean bucket exchange and easy access to the pump for single operators
 - QuickFlush facilitates a 4 times faster cleaning process with 50% less water waste
 - WatchDog prevents damage by shutting off the pump when running out of material

INCLUDES: BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-finger trigger and 517 ARV Tip



SPECIFICATIONS	LP955
Model Type	Hi-Cart
Part Number 230 V	26F508
Max Tip Size	0.029" 1-gun 0.019" 2-guns
Max Output lpm / gpm	3.0 / 0.80
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	45 / 135
Unit Weight kg / lbs	34 / 75
Motor	1.8 Brushless



SL & TS SERIES



ELECTRIC AIRLESS PAINT SPRAYERS FOR RESIDENTIAL/MEDIUM COMMERCIAL & LIGHT INDUSTRIAL USE

Ultra-durable, this electric sprayer is designed for contractors who handle a high volume of work and want a machine with the power to support multiple guns or pump the heavier coatings, like epoxies and elastomers. The Slow Stroker pump is built for the long haul, with strengthened capacity. Features that add longevity include the heavy-duty gear box with hardened steel gears, a no-maintenance drive, and a smooth-rolling, chrome-plated, steel tube cart design with pneumatic wheels.

SL1250

- APPLICATIONS:** Large residential projects and commercial and industrial use
Ideal for 2-gun applications
- SPRAY:** Water and solvent-based coatings, interior and exterior wall paints, block fillers, roof coatings, stains, sealers, varnishes and lacquers
- USAGE:** Up to 28000 litre per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
 - LED digital display
 - Industrial quality, high torque brushless DC motor
 - Chrome piston rod and cylinder for long life
 - Large high pressure filter
 - Ability to spray with 2-guns•
 - KickStand allows clean bucket exchange and easy access to the pump for single operators
 - QuickFlush facilitates a 4 times faster cleaning process with 50% less water waste
 - WatchDog prevents damage by shutting off the pump when running out of material
- INCLUDES:** BlueMax™ II 1/4" x 15 m hose, 4-finger trigger ProLight 500 gun, conversion kit to 2-gun trigger and 517 ARV Tip



SPECIFICATIONS	SL1250
Model Type	Hi-Cart
Part Number 230 V	26F509
Part Number 110 V	26F504
Max Tip Size	0.031" 1-gun 0.019" 2-guns
Max Output lpm / gpm	3.6 / 0.95
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	60 / 180
Unit Weight kg / lbs	43 (94)
Motor	2.0 HP Brushless DC Motor



AIRLESS/TEXTURE SPRAYERS FOR INDUSTRIAL USE

Choose this airless/texture sprayer for handling a high volume of contract work, pumping extremely heavy materials. The pump is ideal for spraying a skim coat layer of drywall mud for a Level 5 finish. Equipped with an extra-long piston, with foot valve located at the bottom of the pump, the TS1750 gives you the necessary suction for heavy coatings. Features that add to its long life include the heavy-duty gear box with hardened steel gears, and a smooth-rolling, chrome-plated, steel tube cart with pneumatic wheels. Both models also includes the LED digital display providing a precise readout of output pressure from 20 to 227 bar. These high performance units are powered by a fan-cooled, industrial-quality brushless DC motor.

TS1750

- APPLICATIONS:** Large residential commercial projects and industrial use
- SPRAY:** Water and solvent-based coatings, 100% acrylics, all interior and exterior wall paints, dry fall, mastics, epoxy, intumescent coatings, waterproofing coatings and drywall mud
- USAGE:** Up to 28000 litre per year
- FEATURES:**
- Precision spray control system provides smooth spraying across a wide range of pressures
 - LED digital display
 - Industrial quality high torque 2.2 HP DC motor (2.8 HP DC motor 110V)
 - Chrome piston rod and cylinder for long life
 - Long pump submerged in material allowing heavy materials to be sprayed
 - Heavy-duty gear box with hardened steel gears
 - Large inlet seat for higher flow
 - Ability to spray with 2-guns
 - KickStand allows clean bucket exchange and easy access to the pump for single operators
 - QuickFlush facilitates a 4 times faster cleaning process with 50% less water waste
 - WatchDog prevents damage by shutting off the pump when running out of material
- INCLUDES:** BlueMax™ II 3/8" x 15 m hose, Mastic gun and 631 ARV Tip



DISPLAY CONTROL FEATURE

SPECIFICATIONS	TS1750	TS1750	TS1750
Model Type	Hi-Cart	Hi-Cart	Hi-Cart with Hose Reel
Part Number 230 V	26F510	-	26F514
Part Number 110 V	-	26F511	-
Max Tip Size Paint	0.035"	0.039"	0.035"
Max Tip Size Plaster	0.037"	0.041"	0.037"
Max Output lpm / gpm	4.5 / 1.2	5.1 / 1.35	4.5 / 1.2
Max Working Pressure bar / psi	227 / 3,300	227 / 3,300	227 / 3,300
Max Hose Length m / ft	90 / 270	90 / 270	90 / 270
Unit Weight kg / lbs	57 / 25	57 / 125	64 / 141
Motor	2.2 HP Brushless DC Motor	2.8 HP Brushless DC Motor	2.2 HP Brushless DC Motor

HSS & SURE STRIPE™ SERIES



ELECTRIC HYDRAULIC PAINT SPRAYER FOR INDUSTRIAL USE

The feature-loaded HSS series raises the bar for hydraulic and paint pump performance. Airlessco has substantially enhanced the durability of this versatile sprayer to optimize your output and cost efficiency.

HSS9950

APPLICATIONS: Large residential projects, commercial, and industrial use
SPRAY: Water and solvent-based coatings, 100% acrylics, all interior and exterior wall paints, dry fall, mastics, epoxy, intumescent coatings, waterproofing coatings, drywall mud, bitumes, and high viscosity materials

USAGE: Up to 110,000 litre per year

- FEATURES:**
- Easily pumps heavy bodied coatings
 - Slow stroking design for long life
 - Less frequent maintenance for reduced operating costs and down time
 - Larger inlet seat for higher flow
 - Long pump is submerged in material – allowing heavy materials to be sprayed
 - Oversized hydraulic pump for long life
 - Large capacity reservoir keeps the system cool
 - Lower operating temps for reduced friction and wear
 - Belt guard pivots open for easy removal of engine

INCLUDES: BlueMax™ 1/2" x 15 m + 3/8" x 1.2 m whip hose, mastic gun, and 631 ARV Tip

**SLOW STROKE: LESS WEAR,
IMPROVED PUMP EFFICIENCY**



SPECIFICATIONS	HSS9950
Model Type	Cart
Part Number 230 V	17M205
Max Tip Size	0.047"
Max Output lpm / gpm	5.9 / 1.6
Max Working Pressure bar / psi	227 / 3,300
Max Hose Length m / ft	90 / 270
Unit Weight kg / lbs	85 / 187
Motor	Electric, Brushed

GAS AIRLESS STRIPER FOR PROFESSIONAL CONTRACT STRIPING

The Sure Stripe 3350 is the perfect striper for professional restripe jobs, small parking lots, schools, and sports fields.

Sure Stripe 3350

- APPLICATIONS:** Small to medium size striping jobs
- FEATURES:**
- Front swivel wheel for maximum maneuverability
 - Move spray gun assembly in seconds; left/right, front/back — no tools needed!
 - Vanguard engine provides unmatched power
 - Electronic pressure control provides excellent line quality
 - Extra large manifold filter prevents clogging
 - Pro-Duty pump with chrome piston rod and hardened cylinder
 - Exclusive externally adjustable packings



SPECIFICATIONS	SURE STRIPE 3350
Part Number	25M231
Max Tip Size	0.027"
Max Output lpm / gpm	2.8 / .75
Max Working Pressure bar / psi	227 / 3,300
Unit Weight kg / lbs	76 / 168
Engine	6.5 HP Vanguard
Applications	Turf & Pavement

AIRLESS SPRAY GUNS

Light trigger pull – trigger lock – hand tighten "no tools required" – easy-clean one-way filter with nylon reinforced core – extra large carbide ball and seat for long wear – durable stainless steel threads for tip attachments – long life needle seal.

SPRAY GUN SPECIFICATIONS	PROLIGHT 500 SERIES	MASTIC TEXTURE	CONTRACTOR IN-LINE VALVE
4-Finger Trigger	17N201	24E470	244364
Max Working Pressure bar / psi	248 / 3,600	276 / 4,000	248 / 3,600
Tip included (remove guard)	ARV Tip 517	-	-
Repair Kit Available	288817	237260	218070



GUARD & SEALS

Reversible Guard 7/8-14	855052
Tip seal and seat 5-pack	248228
Base, Flat Tip, 7/8"	220251
Flat tip gasket - 25-pack	223374

"F" TO "G" ADAPTER

Converts "F" Thread to "G" Thread	248248
-----------------------------------	--------

MASTIC GUN AIR ATOMIZER KIT WITHOUT AIR HOSE

Minimum air compressor rating of 15 cfm at 6 bar (90 psi)	244223
-----------------------------------------------------------	--------

AIRLESS HOSE

BlueMax™ II airless hose provide superior flexibility and durability. They are designed to ensure you get the best results from your airless sprayer. They have swivel couplers and spring guards on both ends and can be coupled with other airless hoses. Whip hoses can be added to provide additional flexibility and reduce operator fatigue.

STRONG, FLEXIBLE WHIP HOSE

for sprayers up to 230 bar

3/16" x 1.4 m	238959
---------------	--------

STRONG, FLEXIBLE HOSE

for sprayers up to 230 bar

1/4" x 15 m	240794
3/8" x 15 m	240797
1/2" x 15 m	277253
1/4" x 7.5 m	240793
3/16" x 7.5 m	214698



SPRAY PACKS

include gun with airless hose:

Spray Pack Paint 1/4" x 15 m hose & Prolight 500 Gun	19A483
------------------------------------------------------	--------



EXTENSIONS

Extended reach tools are ideal for hard-to-reach areas like soffits, stairways and vaulted ceilings. Extend your range and spray more efficiently without ladders or scaffolding. Airless tip and pole extensions can be attached directly to an airless gun making them ideal for spraying ceilings overhangs and decks.

EXTENSIONS

Extension, 30cm, 7/8"	865602
Extension, 45cm, 7/8"	865603
Extension, 60cm, 7/8"	865604
Extension, 90cm, 7/8"	865606
Extension, HD, 90cm, 7/8" & anglehead	248243
Extension, HD, 180cm, 7/8" & anglehead	248245
Extension Gasket	233951



HVLP ACCESSORIES

Airlessco provides a full range of HVLP accessories.

PART NUMBER	DESCRIPTION
17P655	HVLP gun HV4000 Luxe incl. cup and all controls
244132	1 liter metal cup
17P485	Fluid set #2 (0.8 mm)
17P486	Fluid set #3 (1.3 mm)
17P487	Fluid set #4 (1.8 mm)
17P488	Fluid set #5 (2.2 mm)

PART NUMBER	DESCRIPTION
17P489	Fluid set #6 (2.5 mm)
17P490	Fluid set #7 (2.8 mm)
17P709	Gun air cap
257159	9 m Air hose
17R300	6 m Air hose



STRIPING ACCESSORIES

Airlessco offers high performance striping accessories to maximize job site productivity.

PRODUCT	PART NUMBER	DESCRIPTION
Striping Gun	248157	Striping Gun; includes RAC V guard and LL5319 tip
Guard	243161	RAC V Guard
15 cm Gravity Feed Glass Bead Dispenser	24Z726	Includes 15 cm dispenser, hopper, wind deflector, and brackets
30 cm Gravity Feed Glass Bead Dispenser	24Z727	Includes 30 cm dispenser, hopper, wind deflector, and brackets
Replacement Pump	17M989	Pro-Duty Pump

SPRAY TIPS

This selection guide is given as an indication. You should always refer to the sprayed material data sheet to choose the correct tip.



ARV XXX

Material Sprayed	Tip Size	Spray Pattern Width							
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
Stains / Varnishes	0.007"		207	307					
	0.009"		209	309	409	509	609		
Lacquers / Protective Lacquers	0.011"	111	211	311	411	511	611		
	0.013"	113	213	313	413	513	613		
Primers / Interior and Exterior Paint	0.015"	115	215	315	415	515	615	715	815
	0.017"		217	317	417	517	617	717	817
	0.019"	119	219	319	419	519	619		819
	0.021"		221	321	421	521	621	721	821
Heavy Exterior Paint / Light Premixed Plaster	0.023"		223	323	423	523	623	723	
	0.025"		225	325	425	525	625	725	
	0.027"		227	327	427	527	627		827
Premixed Plaster / Heavy Protective Coatings / Two Components Coatings	0.029"				429	529	629	729	
	0.031"			331	431	531	631		831
	0.033"				433	533	633		833
	0.035"		235		435	535	635	735	835
	0.037"						637		
	0.039"				439		639		
	0.041"						641		
	0.043"				443	543	643		
	0.045"						645		
	0.051"				451	551			
0.055"				455	555	655			



AFF XXX

Stains / Varnishes	0.010"		210	310	410				
Lacquers / Protective Lacquers	0.012"		212	312					



LL5 XXX

Road Striping Paints	Tip Size	Line Width							
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
	0.013"	213							
	0.015"	215	315						
	0.017"	217	317	417					
	0.019"	219	319	419					
	0.021"		321	421			621		
	0.023"		323	423			623		
	0.025"		325	425			625		
	0.027"		327	427			627		



269 XXX*

Contractor Flat Tips	Tip Size	Spray Pattern Width								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
	0.011"		211	311	411	511				
	0.013"		213	313	413	513	613			
	0.015"		215	315	415	515	615	715	815	
	0.017"		217	317	417	517	617	717		
	0.019"		219	319	419	519	619	719	819	
	0.021"			321	421	521	621	721	821	
	0.023"			323	423	523	623			
	0.025"		225	325	425	525	625	725		925
	0.027"		227	327	427	527	627		827	
	0.029"								829	
	0.031"					531	631		831	
	0.035"				435		635			
	0.039"			339	439	639				
	0.055"			355						

FLUIDS & FILTERS

Airlessco fluids and filters protect your equipment and keep them operating at peak performance. Airlessco fluids are approved for all airless spray pumps. MagiCLEAN™ safely removes paint from sprayers, hose, tips and guns. Pump Conditioner protects pumps from corrosion and rust during short and long term storage. Stay Clean™ spray protectant prevents paint from sticking to equipment.



PRODUCT	PART NUMBER	SIZE/QTY.	DESCRIPTION		
MagiCLEAN Starter Kit	865657	11.3 l (3 gal) MagiCLEAN, Strainer Basket, Residue Tray	Safely removes paint from sprayers, hose, tips and guns		
MagiCLEAN Refill	865656	3.8 l (1 gallon)	Refill bottle for MagiCLEAN Starter Kit		
Pump Armor	253574	1 l (1 quart)	Prevent internal corrosion; lubricates check balls to prevent sticking		
	245133	3.8 l (1 gallon)			
Throat Seal Oil	206994	0.24 l (8 oz.)	Prevents paint from drying on the piston and causing damage to upper packing		
	206995	1 l (1 quart)			
	206996	3.8 l (1 gallon)			
Manifold Filters	288747	Each	40 mesh InstaClean®	fits the SP380 and SP470 model (fits LP and SL models)	
	246425	Each	30 mesh		
	246384	Each	60 mesh		(fits LP and SL models)
	246382	Each	100 mesh		(fits LP and SL models)
	246383	Each	200 mesh		(fits LP and SL models)
	244071	Each	30 mesh		(fits TS models)
	244067	Each	60 mesh		(fits TS models)
244068	Each	100 mesh	(fits TS models)		
ProLight 500 Gun Filters	17P312	Each	50 mesh		
	17P313	Each	100 mesh		
Paint strainers	865663	One dozen per pack	20 litre strainer		
Inlet strainers	288716		Inlet strainer SP310 / SP380 / SP470		
	246385		Inlet strainer for MP455 & LP555/655		
	189920		Inlet strainer for LP955 / SL1250 / TS1750 & HSS9950		
	15V573		CRUSHPROOF Inlet strainer for LP955 / SL1250 / TS1750 & HSS9950		
Hose cover	865696	One roll (305 m)	Protects your hose from paint and abrasion damage		
	867610	Six rolls (6 x 305 m)			



MISCELLANEOUS

Airlessco provides a full range of repair kits and accessories to keep your equipment operating at peak performance and save time and labor on every job.

PRODUCT	PART NUMBER	DESCRIPTION
Gun & Hose Connectors	156971	1/4" hose connector
	156849	3/8" hose connector
	157350	3/8" x 1/4" adapter
Gun Anglehead Adaptor	235486	180° Adaptor
Quick Repair Pump Kit	17J759	SP380 and SP470 Quick Repair Pump
Replacement Pumps	2011662	1 Kit, Pump, Displacement (MP455, LP555 & LP655)
	17M989	Pro-Duty Threaded mount (SS3350)
	19Y298	Kit, Replacement Pump (LP955)
	24U700	Pump, Displacement (SL1250)
	25B101	Pump, Displacement (TS1750)
Material Hopper	17H171	6 litre capacity (1.5 gal)
	287987	90 litre capacity
Bag Roller	289587	To be mounted on Texture hopper (287987)



PRO-DUTY QUICK REPAIR PUMP

PRO-DUTY QUICK REPAIR PUMP SYSTEM

Airlessco keeps you productive with the Quick Repair Pump system. Reduce downtime and change the pump on the job — no special tools needed!



1. LOOSEN LOCKING NUT



2. LIFT DOOR AND REMOVE PUMP



3. DISCONNECT HOSES

SPECIFICATIONS

Model	HV4000 Luxe	SP310	SP380	SP470	MP455	LP555		LP655	LP955	SL1250	TS1750	TS1750 Hose Reel	HSS9950
Part Number 230 V	17P546	18H283	17G185	18H288	26F505 Stand	26F506 Stand 26F507 Hi-Cart		26F513	26F508	26F509	26F510	26F514	17M205
Part Number 110 V	-	-	-	-	-	26F503 Stand		26F520	-	26F504	26F511	-	-
Manual Number	3A5085	3B0211	3A3647	3A3234	X023217	X023217		X023217	X023217	X023158	X023158	X023158	3A4102
Max Tip Size	NA	0.017"	0.019"	0.021"	0.021"	0.023"		0.025"	0.029"	0.031"	0.037"	0.037"	0.047"
Max Working Pressure bar / psi	0.6 / 9	207 / 3,000	207 / 3,000	207 / 3,000	227 / 3,300	227 / 3,300		227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300	227 / 3,300
Max Output lpm / gpm	-	1.17 / 0.31	1.4 / 0.38	1.8 / 0.48	1.8 / 0.48	2.0 / 0.54		2.3 / 0.60	3.0 / 0.80	3.6 / 0.95	5.1 / 1.35	5.1 / 1.35	5.4 / 1.6
Max Hose Length m / ft	9 / 30	15 / 50	15 / 50	15 / 50	30 / 90	45 / 135		45 / 135	45 / 135	60 / 180	90 / 270	90 / 270	90 / 270
Unit Weight kg / lbs	16 / 35	13 / 28	13 / 28	23 / 50	15 / 34	20 / 43 Stand 30 / 66 Hi-Cart		30 / 66	34 / 75	43 / 94	57 / 125	64 / 141	85 / 157
Motor/Engine	NA	Brushed 5/8 HP DC	Brushed 7/8 HP DC	Brushed 7/8 HP DC	Brushed 5/8 HP DC	Brushed 7/8 HP TEFC DC		Brushed 1.0 HP TEFC DC	1.8 HP Brushless	2.0 HP Brushless	2.2 HP Brushless (230V) 2.8 HP Brushless (110V)	2.2 HP Brushless	Brushed 3 HP

Model	Sure Stripe 3350
Part Number	25M231
Manual Number	3A4619
Max Tip Size	0.027"
Max Output lpm / gpm	2.8 / .75
Max Working Pressure bar / psi	227 / 3,300
Unit Weight kg / lbs	76 / 168
Engine	6.5 HP Vanguard



AIRLESSCO WARRANTIES:

1-YEAR STANDARD WARRANTY

For 1 year from purchase date, we will repair any defective items to the original purchaser/user of an Airlessco airless sprayer.

2-YEAR EXTENDED WARRANTY

Airlessco offers extended warranty of 2 years on Electrical parts and boards, turbines and clutches.

5-YEAR PREMIUM WARRANTY

Airlessco offers PREMIUM 5-years warranty on chrome carts, 2-stage gear box, hard parts hydraulic motor and electric motors.

See operation manual for complete warranty information.
Graco does not cover wear items.



airlessco.com

