


ROOFING AND WATERPROOFING SOLUTIONS

Graco's Complete Line of Professional Roofing
and Waterproofing Sprayers



M O V I N G M A T E R I A L S T H A T M A T T E R ™

THERE IS NOTHING LIKE A GRACO SPRAYER

Graco Big Rig airless sprayers provide the highest pressure and flow for the heaviest materials. These powerful sprayers are recognized as solid, reliable investments that will keep you spraying and save you money to move your business forward.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality Roofing and Waterproofing airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional gas airless sprayers are designed, manufactured, and assembled in the USA.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty – but if you do, we will be there.



GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex™ rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X –delivering the industry's lowest cost of ownership



LEGENDARY PERFORMANCE

Heavy-Duty Graco Hydraulic System

- Faster, more responsive changeover
- O-ring sealed to eliminate leaks
- High-precision pressure control
- No hydraulic reset button needed
- Durable hydraulic lines for long life



REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently
- Easier and more thorough fluid changes
- Reservoir cooling fins deflect more heat
- No special hydraulic fluid needed



PATENT PENDING

- The first motor ever designed specifically for airless spray
- The new sound of quality – with near silent operation
- Delivers the power of a gasoline engine without noise, fumes or fuel stops



MAXIMIZE PRODUCTION

QuikChange™ Pump Lowers

- Easily customize your Big Rig for each coating
- No need to purchase additional rigs
- Exclusively on Graco Xtreme™ pumps



WORK SMARTER AND FASTER

Proven Big Rig Accessories

- Heavy-Duty 18" JetRoller™ System: one step spray and back roll
- 25 gallon Material Hopper: spend more time spraying and less time refilling
- Many more time saving accessories



BIG RIG MATERIAL AND APPLICATION GUIDE

When you need maximum performance, versatility, durability, and time-saving accessories, look no further than Graco's line of Big Rig Large Gas Hydraulic Sprayers. Whether you are applying roof coatings, waterproofing, fireproofing, protective, or architectural coating, count on Graco Big Rig Sprayers to get the job done—FAST!



APPLICATIONS



APPLICATIONS

| EQUIPMENT | POWER | PRESSURE (PSI) | FLOW (GPM) | QUIKCHANGE PUMP | COMPLEMENTARY UNIT FOR SMALL JOBS | COOL ROOF | SILICONE |
|--|---------------|----------------|------------|-----------------|-----------------------------------|------------------|----------|
| | GH 933 Hi Flo | Gasoline | 7250 | 2.5 | + | DutyMax GH 675DI | ● |
| GH 933 | Gasoline | 7250 | 2.5 | + | DutyMax GH 675DI | ● | |
| DutyMax [™] GH 675DI | Gasoline | 6750 | 1.5 | + | | ● | ● |
| GH 5040 | Gasoline | 5000 | 3.5 | + | DutyMax GH 675DI | ● | |
| GH 833 | Gasoline | 4000 | 4.0 | - | GMAX 7900 Roof Rig | ● | |
| GH 733 | Gasoline | 4000 | 4.0 | + | GMAX 7900 Roof Rig | ● | |
| GMAX [®] 7900 RR | Gasoline | 3300 | 2.2 | - | | ● | |
| GH 2570 | Gasoline | 2500 | 7.0 | + | GMAX 7900 Roof Rig | ● | |
| GH 1017 | Gasoline | 1000 | 16.5 | + | | | |
| King [®] E-Max XT [™] 40 | Electric | 4000 | 4.0 | - | | ● | |
| KING E-MAX XT 70 | Electric | 7250 | 2.5 | + | | ● | ● |

| ELASTOMERIC | MONOFORM | EMULSION | INTUMESCENT | PAINTS AND PRIMERS | PROTECTIVE | PROTECTIVE HIGH SOLIDS |
|-------------|----------|----------|-------------|--------------------|------------|------------------------|
| ● | | ● | ● | | | ● |
| ● | | ● | ● | ● | ● | ● |
| ● | | ● | ● | ● | ● | ● |
| ● | | ● | ● | ● | ● | |
| ● | | ● | ● | ● | ● | |
| ● | ● | ● | ● | ● | ● | |
| ● | ● | ● | ● | ● | ● | |
| ● | | ● | ● | ● | ● | |
| ● | | ● | ● | ● | ● | ● |

| KEY APPLICATION ACCESSORIES |
|--|
| Direct Immersion Kit 287843 – GH 733, GH 833, GH 933, GH 5040 16U764 – GH 2570 Hopper Kits 25 Gallon Plastic – 25D078 GH 933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 Big 150 and 250 Kits See page 11 for PNs and details Mastic Gun w/36" Extension 5000 psi 224472 Heavy-Duty 18" JetRoller 25D229 |
| 5:1 Monark[®] Feed Pump Kit 24A423 – GH 933 Hopper Kits 25 Gallon Plastic – 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI Big 150 and 250 Kits See page 11 for PNs and details Heavy-Duty 18" JetRoller 25D229 |

| | | | | | |
|---|---|---|--|---|---|
| 5:1 Monark Feed Pump Kit 24A423 – GH 933 Direct Immersion Kit 287843 – GH 733, GH 833, GH 933, GH 5040 16U764 – GH 2570 Hopper Kits 25 Gallon Plastic – 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 Big 150 and 250 Kits See page 11 for PNs and details Heavy-Duty 18" JetRoller 25D229 | Direct Immersion Kit 287843 – GH 733, GH 833, GH 933, GH 5040 16U764 – GH 2570 Hopper Kits 25 Gallon Plastic – 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 Big 150 and 250 Kits See page 11 for PNs and details Heavy-Duty 18" JetRoller 25D229 | 5:1 Monark Feed Pump Kit 24A423 – GH 933 Hopper Kits 25 Gallon Plastic – 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI Big 150 and 250 Kits See page 11 for PNs and details | Direct Immersion Kit 287843 – GH 733, GH 833, GH 933, GH 5040 16U764 – GH 2570 Hopper Kits 25 Gallon Plastic – 25D078 GH933, GH 5040, GH 733, DutyMax GH 675DI 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 | Hopper Kit 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 | Hopper Kit 12 Gallon SST – 16U505 GH 933, GH 5040, GH 733 |
|---|---|---|--|---|---|

KING E-MAX XT (PATENT PENDING)

EXPERIENCE THE EVOLUTION OF SPRAY TECHNOLOGY

Introducing the industry's most powerful line of electric sprayers! Designed for big jobs, this lineup delivers unmatched performance with the toughest coatings and is equipped with groundbreaking features that reduce downtime. Perfect for protective coatings, roofing, waterproofing as well as the full line of paints and primers.

XT ELECTRIC MOTOR

- High-torque, low RPM design for maximum performance
- 230V-30A input power - equipped with common L6-30P Plug
- Zero-maintenance brushless design
- Designed and manufactured by Graco in the USA for non-hazardous locations

PRECISION DRIVE

- Offers precise linear action for long pump life and no side loading
- Long stroke design with hardened steel construction is built to last
- Worry-free design requires little to no maintenance

HEAVY-DUTY CART

- Designed for the toughest job site conditions
- Heavy-duty painted steel construction
- Flat-proof tires for maximum convenience



**NO NOISE. NO FUEL.
NO HASSLE!**

(PATENT PENDING)

SOLUTIONS FOR EVERY JOB!

| RIG SPRAYERS | PART # |
|----------------------------------|---------|
| King E-Max XT 40 230V - Bare | 2010984 |
| King E-Max XT 40 230V - Complete | 2009112 |
| King E-Max XT 70 230V - Bare | 2009104 |
| King E-Max XT 70 230V - Complete | 2009114 |



KING E-MAX XT 40
Max Pressure: 4000 psi (276 bar)
Max Flow: 4.0 gpm (15.1 lpm)
Max Tip: .065



KING E-MAX XT 70
Max Pressure: 7250 psi (500 bar)
Max Flow: 2.9 gpm (10.9 lpm)
Max Tip: .053

DIRECT-IMMERSION ENDURANCE® PUMP WITH PROCONNECT™

- Chromex® rod and stainless steel cylinder for maximum life and performance
- ProConnect pump removal and replacement keeps you spraying
- Versatile design allows you to select different performance lowers for different jobs - like having 3 sprayers in one!
- Included in Endurance Advantage Program!

SMARTCONTROL™

- Advanced control offers consistent spray fan without fluctuations
- Single-knob pressure adjustment – nothing is easier
- WatchDog™ pump protection system automatically shuts down the pump when material runs out



REMOVE THE PUMP IN 3 EASY STEPS



1. Remove the hose and pin
2. Loosen star nut and open door
3. Slide pump out



NEW DIRECT IMMERSION DESIGN FITS A 5 GALLON BUCKET, FOR MAXIMUM FLEXIBILITY

NO NOISE - WORK ANYTIME NO FUMES - WORK ANYWHERE NO MAINTENANCE - JUST PLUG IT IN

EFP-350 XT (PATENT PENDING)

SUPPLY YOUR SPRAYER EVEN WITH THE THICKEST OF COATINGS

350 psi, 5.0 gpm, Plug in and go, 120 or 240 flexible supply voltage with one machine - No Compressor needed!

QUICKLY CHANGE DRUMS WITH PROCONNECT LOWERS EVEN IN LOW CLEARANCE TRAILERS!



1. Remove the hose and pin
2. Loosen star nut and open door
3. Slide pump out



GMAX II 7900 IRONMAN ROOF RIG SPRAYER

The GMAX II 7900 IronMan Roof Rig is the industry-standard for professional contractors who spray a full range of coatings on residential, commercial, and industrial jobs. Powered by a Honda engine, this portable rig will go anywhere the job demands.



THE LONGEST LIFE EVER

New Endurance Vortex MaxLife Extreme™ Piston Pump

Breakthrough Vortex Rotating Rod Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate rod for even wear
- 6X more gallons sprayed between repacks. Extreme rod extends pump rod life by 3X
- Graco exclusive abrasion-resistance composite delivers the most durable wear surface
- Repack pump in minutes with new QuikPak™ cartridge repair system



ELIMINATE COSTLY DOWNTIME

ProConnect® Pump Replacement System

- Exchange pump in minutes – pinless design needs no tools



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

- No tire puncturing from nails, screws, or any sharp debris



DURABLE FILTRATION

Crushproof Inlet Strainer

- Stands up to harsh impacts to maintain filtering and flow

CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl® 3.0

- Lowest dead band at any pressure
- Ideal for low overspray applications

PUMP DAMAGE PROTECTION

WatchDog™ Pump Protection System

- Automatically shuts down the pump when paint runs out or if the hose is damaged

THE LONGEST LASTING DRIVE

Advantage Drive™

- Hardened steel gears provide extremely quiet operation
- Contractor preferred

EASY MAINTENANCE AND LESS CLOGGING

Easy Out™ Pump Filter

- Exclusive inside-out filtering process ensures a quality finish and less mess



GH 833 BIG RIG SPRAYER

The GH 833 is the preferred choice for high production professional contractors who spray the wide range of materials. This jobsite-proven workhorse is the answer when you demand ruggedness, performance, and value.



Honda GX Engine



Briggs and Stratton Vanguard Engine



RELIABLE, ELECTRIC START ENGINE†

(†ES Models only)

- Contractor preferred engine with Backup pull start
- High-capacity, 12 V Charging System†

HEAVY-DUTY GRACO HYDRAULIC SYSTEM

- Faster, more responsive changeover
- O-ring sealed to eliminate leaks
- High-precision pressure control
- No hydraulic reset button needed
- Durable hydraulic lines for long life

FLOW-THROUGH FILTER SYSTEM

- Inside/out design eliminates clogged filters
- Eliminates tip clogs

HEAVY-DUTY FRAME

- Easy-roll tubed pneumatic tires
- Enamel painted steel tubing – corrosion protection
- Multifunction design converts to skid mount in seconds

EXCLUSIVE MAXLIFE® ENDURANCE™ PUMP

- Proven design and performance
- Only 16 cycles per gallon
- Exclusive MaxLife rod and sleeve delivers unmatched durability and life
- Exclusive QuikChange Pump System and QuikAccess™ Intake Valve eliminates downtime

HEAVY-DUTY COOLING SYSTEM

- Large 4 gallon hydraulic reservoir
- Return line hydraulic filter extends life
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy-to-use drain plug



Direct Immersion Kit allows ultimate flexibility with tough-to-spray materials. (Part #287843)

| ROOF RIG SPRAYER | PART # |
|--------------------------------|---------|
| GMAX II 7900 IronMan® Roof Rig | 17E835* |

| ROOF RIG SPRAYERS | HONDA PART # |
|----------------------------------|--------------|
| GH 833 Bare | 249318 |
| GH 833 Complete | 249617 |
| GH 833ES Bare Electric Start | 16U287 |
| GH 833ES Complete Electric Start | 16U288 |
| GH 833 OEM | 249767 |

BIG RIG SPRAYERS

GH 733/GH 933/GH 1017/GH 2570/GH 5040

For over 30 years, contractors have turned to the GH line of gas hydraulic sprayers when they needed maximum performance and unmatched versatility. Whether you require high pressure for long hose runs and hard-to-atomize materials, or high flow rates for heavier coverage, turn to the GH Big Rig sprayers to get the job done!



Honda GX Engine

RELIABLE, ELECTRIC START ENGINE†

(†ES Models only)

- Contractor preferred engine with Oil Alert Sensor
- Backup pull start
- High-capacity, 12 V Charging System†



Briggs and Stratton Vanguard Engine

RUGGED, HEAVY-DUTY STEEL FRAME

- Welded, heavy-gauge steel construction
- Integrated, fully balanced lift points
- Easy-roll tubed pneumatic tires
- Enamel painted steel tubing – corrosion protection
- Multifunction design converts to skid mount in seconds – easily converts to secure skid mount by moving handle to lower frame holes



EXCLUSIVE XTREME PUMP

- QuikChange pump section
- Time-tested durability and performance
- Long-life XtremeSeal and leather packings
- Heavy-duty piston rod for long life
- QuikAccess intake valve removes easily for fast repairs



HEAVY-DUTY GRACO HYDRAULIC SYSTEM

- Faster, more responsive changeover
- O-ring sealed to eliminate leaks
- High-precision pressure control
- No hydraulic reset button needed
- Durable hydraulic lines for long life

HEAVY-DUTY COOLING SYSTEM

- Large 4 gallon hydraulic reservoir
- Return line hydraulic filter extends life
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy-to-use drain plug

ADDITIONAL FEATURES

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Large diameter siphon hose



| | KING E-MAX 40 | KING E-MAX 70 | GMAX II 7900 RR | DUTYMAX GH 675D†* | GH 733 | GH 833 | GH 933 | GH 1017 | GH 2570 | GH 5040 |
|--|---------------|---------------|-----------------|-------------------|--------|--------|--------|---------|---------|---------|
| Latex Paints | ● | ● | ● | ● | ● | ● | ● | | ● | ● |
| Primers | ● | ● | ● | ● | ● | ● | ● | | ● | ● |
| Block Fillers | ● | ● | ● | ● | ● | ● | ● | | ● | ● |
| Enamel | ● | ● | ● | ● | ● | ● | ● | | ● | ● |
| Elastomerics | ● | ● | ● | ● | ● | ● | ● | | ● | ● |
| Acrylic: Water/Solvent | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Epoxy: Finishes/Mastics | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Polyester | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Coal Tar | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Polyurethane | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Asphalt Emulsion: Fibered/Non-fibered | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Mastics - Adhesive Type | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Waterproofing/Above and Below Grade | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Contract Cement | ● | ● | | ● | ● | ● | ● | | | ● |
| Asphalt Cut-back: Fibered/Non-fibered | | | | | | | | ● | ● | ● |
| Texture: Smooth and Fine | ● | ● | | ● | ● | ● | ● | | | ● |
| Burmastics | ● | ● | | ● | ● | ● | ● | | | ● |
| Monoform | | | | | | | | ● | ● | |
| Aluminum Emulsion: Fibered/Non-fibered | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Elastomeric Acrylic | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Emulsion Primer | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Silicone | | ● | | ● | | | ● | | | ● |
| Intumescent | | ● | | ● | | | ● | | | ● |

Note: Materials and temperatures may dictate the hose length you can use. Fibered materials not recommended.



GH933

The choice for Protective and Intumescent Coatings

Complete Sprayer Includes:

- XTR 704 Gun
- XHD™ 519 SwitchTip™ and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless Hose
- 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Whip Hose




GH933ES HI-FLO

Optimized for Silicone and other Heavy Bodied Materials

Equipped with Graco's proven Xtreme pump lower with durable Tuff-Stack™ packings, this pump features oversized outlets and a filterless design for maximum flow and performance.

Complete Sprayer Includes:

- XHF Gun
- XHD 429 SwitchTip™ and Guard
- 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless Hose
- 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Whip Hose



| RIG SPRAYERS | PART # |
|-------------------------------|--------|
| GH 733ES Bare Electric Start | 16U279 |
| GH 1017ES Bare Electric Start | 16U277 |
| GH 2570ES Bare Electric Start | 16U278 |
| GH 5040ES Bare Electric Start | 16U280 |

| BIG RIG SPRAYERS | PART # |
|----------------------------------|--------|
| GH 933 Bare | 16U281 |
| GH 933 Complete | 16U282 |
| GH 933 Bare Electric Start | 16U285 |
| GH 933ES Complete Electric Start | 16U286 |
| GH 933ES Hi Flo Bare | 17B484 |
| GH 933ES Hi Flo Complete | 17B485 |

DUTYMAX GH 675DI

MAXIMUM POWER AND PERFORMANCE

The DutyMax GH 675DI is the preferred choice for high production professional contractors who handle hard-to-atomize materials such as silicone and other waterproofing and protective coating materials. This compact sprayer includes the ultimate portability anywhere the job demands.

SMALL SIZE, ULTIMATE PORTABILITY

- Maximum pressure of 6750 psi and flow rates up to 1.5 gpm to tackle the toughest coatings
- Cleanup is simple and economical using less solvent than larger systems
- Significantly faster than manual rolling or squeegee applications
- Spraying delivers more consistent mil build over the entire surface
- Converts to 3300 psi/3 gpm pump with optional kit: spray both silicone and acrylics – like having 2 sprayers in 1
- Removable engine for ultimate versatility when moving



THE PERFECT SMALL JOB AND CUT-IN SOLUTION!



The ideal complement to your larger rigs on the big jobs for cut-in and detail work.

Ready to spray: complete with XTR-7 HF Gun w/ Swivel, XHD 523, 527, 531 Tip and Guard, 3/8 in x 10 ft Xtreme Duty Whip Hose, in addition to the items listed below.

| ROOF RIG SPRAYERS | ALSO INCLUDES | PART # |
|------------------------------------|---|--------|
| DutyMax GH 675DI Complete | 1/2 in x 50 ft Xtreme Duty Hose | 25D223 |
| DutyMax GH 675DI Big 150 | (3) 1/2 in x 50 ft Xtreme Duty Hose, 18 in Tip Extension, 180 degree Tip Swivel, all fittings | 25D225 |
| DutyMax GH 675DI Big 150 w/ Hopper | (3) 1/2 in x 50 ft Xtreme Duty Hose, 18 in Tip Extension, 180 degree Tip Swivel, all fittings, 25 Gallon Material Hopper with Couplings | 25D226 |

ROOF RIGS

READY-TO-SPRAY BIG 150 AND BIG 250 SYSTEMS

Decide which system fits your application needs with these 11 ready-to-spray systems from Graco. Configured with 150 or 250 feet of pressure-rated hose, gun, tip extensions, and all the fittings you will need, these systems offer ultimate convenience and value. Whether you require high-pressure, maximum flow, electric start, or even the ability to swap pumps with available QuikChange lowers, we have a system for you!



READY-TO-SPRAY SYSTEMS

| PART # | DESCRIPTION | INCLUDES |
|---------|---|--|
| 2009124 | King E-Max XT Sprayer 40 Big 250 System | 55 gallon siphon set, Silver Plus Gun, (5) 1/2 in x 50 ft hose, 3/8 in x 10 ft Whip Hose, 30 in tip extension, 180 degree tip swivel, LTX 519 & 531 SwitchTip™, Guard and fittings |
| 2009126 | King E-Max XT Sprayer 70 Big 250 System | XHF Gun, (4) 3/4 in x 50 ft hose, 1/2 in x 50 ft hose, 3/8 in x 10 ft Whip Hose, 18 in tip extension, 180 degree tip swivel, XHD 429 & 531 SwitchTip, Guard and fittings |
| 2011369 | King E-Max XT Sprayer 70 Big 250 System With EFP-350 XT | XHF Gun, (4) 3/4 in x 50 ft hose, 1/2 in x 50 ft hose, 3/8 in x 10 ft Whip Hose, 18 in tip extension, 180 degree tip swivel, XHD 429 & 531 SwitchTip, Guard and fittings, EFP-350 XT Feed Pump |
| 25D225 | DutyMax GH 675DI Big 150 System | DutyMax GH 675DI, 150 ft of Xtreme-Duty 1/2 in Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XTR-7 HF Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 527 & 531 Tips, and all fittings |
| 25D226 | DutyMax GH 675DI Big 150 with 25 Gallon Material Hopper | DutyMax GH 675DI, 25 Gallon Material Hopper and Couplings, 150 ft of Xtreme-Duty 1/2 in Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XTR-7 HF Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 527 & 531 Tips, and all fittings |
| 16U776 | GH 2570es Big 250 System | GH 2570es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180 degree Tip Swivel, RAC X™ 519, 531 Tips, and all fittings |
| 16U778 | GH 733es Big 250 System | GH 733es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180 degree Tip Swivel, RAC X 519, 531 Tips, and all fittings |
| 16U780 | GH 833 Big 250 System | GH 833, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180 degree Tip Swivel, RAC X 519, 531 Tips, and all fittings |
| 16U781 | GH 833es Big 250 System | GH 833es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Heavy-Duty Gun, 30 in Tip Extension, 180 degree Tip Swivel, RAC X 519, 531 Tips, and all fittings |
| 16U782 | GH 5040es Big 250 System | GH 5040es with Electric Start, 250 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, Gun Swivel, Flex Plus™ Gun, 18 in Tip Extension, 180 degree Tip Swivel, RAC X 517, 531 Tips, and all fittings |
| 16U783 | GH 933 Big 250 System | GH 933, 200 ft of 3/4 in Hose, 50 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, XTR-7 Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 519, 531 Tips, and all fittings |
| 16U784 | GH 933es Big 250 System | GH 933es with Electric Start, 200 ft of 3/4 in Hose, 50 ft of 1/2 in Hose, 10 ft x 3/8 in Whip Hose, XTR-7 Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 519, 531 Tips, and all fittings |
| 17B488 | GH 933es Hi Flo Big 250 System | GH 933es with Electric Start, 50 ft of 3/4 in Xtreme-Duty Hose, 200 ft of 1/2 in Xtreme-Duty Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XHF Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 429, 531 Tips, and all fittings |
| 25M283 | GH 933es Hi Flo Big 250 System with 5:1 Monark® System | GH933es with Electric Start, 5:1 Monark Feed Pump, 200 ft of 3/4 in Xtreme-Duty Hose, 50 ft of 1/2 in Xtreme-Duty Hose, 10 ft x 3/8 in Xtreme-Duty Whip Hose, XHF Gun, 18 in Tip Extension, 180 degree Tip Swivel, XHD 429, 531 Tips, and all fittings |
| 2010956 | GH 933es Hi Flo Big 250 System with EFP-350 XT | GH933es with Electric Start, EFP-350 XT Feed Pump, 200ft of 3/4 in Xtreme-Duty Hose, 50ft of 1/2 in Xtreme-Duty Hose, 10ft of 3/8 in Xtreme-Duty Whip Hose, XHF Gun, 18in Tip Extension, 180 degree Tip Swivel, XHD 429, 531 Tips, and all Fittings |



HEAVY-DUTY, XHF, AND MASTIC GUNS

| PART # | DESCRIPTION |
|--------|---|
| 241705 | Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi (276 bar) |
| 224472 | Mastic Gun 36 in (.9 m) Extension, 5000 psi (345 bar) |
| 237260 | Repair Kit - Heavy-Duty Gun |
| 262854 | XHF Gun, includes XHD 429 Tip |



XTR GUNS

XTR5+™ Airless Spray Gun, 5000 psi (345 bar, 34.5 MPa)

| PART # | DESCRIPTION |
|--------|--|
| XTR520 | 1 In Round Handle, 4-Finger Trigger, no Tip |
| XTR522 | Oval-insulated Handle, 4-Finger Trigger, 519 XHD RAC |
| XTR524 | 1 In Round Handle, 4-Finger Trigger, 519 XHD RAC |



XTR7+ Airless Spray Gun, 7250 psi (500 bar, 50 MPa)

| PART # | DESCRIPTION |
|--------|--|
| XTR720 | Round Handle, 4-Finger Trigger, no Tip |
| XTR722 | Oval-insulated Handle, 4-Finger Trigger, 519 XHD RAC Tip |
| XTR724 | Round Handle, 4-Finger Trigger, 519 XHD RAC Tip |



SILVER PLUS AND FLEX PLUS GUNS

| PART # | DESCRIPTION |
|--------|---|
| 246240 | Silver Plus Gun (2-finger) with RAC X 517 Tip and Guard 5000 psi max (345 bar) |
| 243283 | Silver Plus Gun (2-finger) with RAC® 5 517 Tip and Guard 5000 psi max (345 bar) |
| 235460 | Silver Plus Gun (2-finger) with Flat Tip and Guard 5000 psi max (345 bar) |
| 235461 | Silver Plus Gun (4-finger) with Flat Tip and Guard 5000 psi max (345 bar) |
| 235462 | Silver Plus Gun Fine Finish (2-finger) with Flat Tip and Guard 5000 psi max (345 bar) |
| 246468 | Flex Plus Gun (2-finger) with RAC X 517 Tip and Guard 5000 psi max (345 bar) |
| 235474 | Repair Kit (Silver Plus, Flex Plus) |
| 273334 | Silver Plus HP Gun 7250 psi (500 bar) (2-finger) with XHD 519 Tip and Guard |
| 273335 | Silver Plus HP Gun (7250 psi (500 bar) (4-finger) with XHD 519 Tip and Guard |
| 20B225 | Repair Kit (Silver Plus HP) |

XTR7+™ High-Flow Flow Airless Spray Gun, 7250 psi (500 bar)

| PART # | DESCRIPTION |
|--------|--|
| XTR712 | Filterless, Oval-insulated Handle, 4-Finger Trigger, XHD 523, and 531 Tips |

Xtreme-Duty High Pressure Gun Accessories, (Fit both XTR5+ and XTR7+ Spray Guns)

| PART # | DESCRIPTION |
|--------|--|
| 246294 | 10 in (254 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 246295 | 15 in (380 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 246296 | 18 in (457 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 246297 | 180° Spray Nozzle, 7/8-14 UNC-2B, 7250 psi (500 bar, 50 MPa) |
| 273141 | Gun Repair Kit (includes Gasket, Needle, and Seat) |
| 287449 | 4-Finger Round Trigger Kit |
| 287450 | 2-Finger Trigger Kit |
| 287451 | 4-Finger Oval Insulation Trigger Kit |
| 287032 | Filter, 60 mesh |
| 287033 | Filter, 100 mesh |
| 287034 | Filter, 60 and 100 mesh combination |



EXTENSIONS

Includes RAC X HandTite™ Guard Standard with 7/8 in (22 mm) Gun Nut and OneSeal™ Maximum Working Pressure: 4050 psi (280 bar, 28.0 MPa)

| PART # | DESCRIPTION |
|--------|--|
| 287019 | 10 inch (25 cm) |
| 287020 | 15 inch (38 cm) |
| 287021 | 20 inch (50 cm) |
| 287022 | 30 inch (75 cm) |
| 246294 | 10 in (254 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 246295 | 15 in (380 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 246296 | 18 in (457 mm) Gun Extension, 7250 psi (500 bar, 50 MPa) |
| 17U148 | 42 in (107 cm) Gun Extension with Handle, 7250 psi (500 bar) |



GUN SWIVEL

| PART # | DESCRIPTION |
|--------|------------------------------|
| 189018 | Gun Swivel rated to 7500 psi |



SPRAY NOZZLE

| PART # | DESCRIPTION |
|--------|--|
| 246297 | 180° Spray Nozzle, 7/8-14 UNC-2B, 7250 psi (500 bar, 50 MPa) |



RAC X TIPS AND GUARDS

| PART # | DESCRIPTION |
|---------|--|
| LTX-XXX | RAC X SwitchTips, Blue (Odd #); Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa) |
| WR-XXXX | RAC X Wide RAC™ SwitchTips, Blue (Odd #); Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa) |
| 246215 | RAC X HandTite Guard; 7/8 in (22 mm) thread size, standard Graco thread |
| 246437 | RAC X HandTite Guard; 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads |
| 286-XXX | RAC 5 SwitchTips, Black (Odd #); Maximum Working Pressure: 4050 psi (279 bar, 27.9 MPa) |
| 243161 | RAC 5 HandTite Guard; 7/8 in (22 mm) thread size, standard Graco thread |
| 243263 | RAC 5 HandTite Guard; 11/16 in (17 mm) thread size, older style Graco pole guns, fits competitive guns with 11/16 in (17 mm) threads |



XHD TIPS AND GUARDS

| PART # | DESCRIPTION |
|---------|--|
| XHD-XXX | XHD SwitchTips, Gray (Odd #); Maximum Working Pressure: 7250 psi (500 bar, 50.0 MPa) |
| XHD001 | XHD RAC Guard; Maximum Working Pressure: 7250 psi (500 bar, 50.0 MPa) |
| XHD010 | Seal and Seal Kit (5-pack) |



BLUE MAX™ II AIRLESS HOSE

| PART # | DESCRIPTION |
|--------|--|
| 238358 | 3/16 in x 3 ft (4.8 mm x 0.9 m) 3300 psi (227 bar) Blue Max II Airless Whip Hose |
| 238959 | 3/16 in x 4.5 ft (4.8 mm x 1.4 m) 3300 psi (227 bar) Blue Max II Airless Whip Hose |
| 240793 | 1/4 in x 25 ft (6.4 mm x 7.5 m) 3300 psi (227 bar) Blue Max II Airless Hose |
| 240794 | 1/4 in x 50 ft (6.4 mm x 15 m) 3300 psi (227 bar) Blue Max II Airless Hose |
| 240797 | 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi (227 bar) Blue Max II Airless Hose |

XTREME-DUTY HIGH PRESSURE HOSE

Maximum Working Pressure: 4000 psi (276 bar)



| PART # | DESCRIPTION |
|--------|--|
| 277249 | 1/4 in x 3 ft (6.4 mm x 0.9 m) MxH Whip Hose |
| 277250 | 1/4 in x 50 ft (6.4 mm x 15 m) FBE |
| 277351 | 3/8 in x 3 ft (9.5 mm x 0.9 m) MxH Whip Hose |
| 277251 | 3/8 in x 50 ft (9.5 mm x 15 m) FBE |
| 277253 | 1/2 in x 50 ft (13 mm x 15 m) FBE |

XTREME-DUTY HIGH PRESSURE HOSES

4500 psi

5600 psi

7250 psi



Example:
H53850 is a 5600 psi 3/8 in, 50 ft hose

CHOOSE THE RIGHT HOSE FOR THE JOB

| TECHNICAL SPECIFICATIONS | |
|--------------------------------|--|
| Working Pressure | 4500 psi (310 bar), 5600 psi (386 bar), or 7250 psi (500 bar) |
| Temperature Rating (all sizes) | -40° to 180°F (-40° to 82°C) |
| Chemical Resistance | Hose cover resistant to a wide variety of solvents, acids, and bases |
| Weather Resistance | Hose cover has outstanding resistance to oxygen, ozone, sunlight, and general weather conditions |
| Electrical Properties | Conductive hose |

3/4 IN XTREME-DUTY HIGH PRESSURE HOSE

| PART # | DESCRIPTION |
|--------|---|
| H77550 | 3/4 in x 50 ft (6.4 mm x 15 m) FBE Xtreme-Duty High Pressure Hose; Maximum Working Pressure: 7250 psi (500 bar) |




GH 833 KITS

| PART # | DESCRIPTION |
|--------|---|
| 287843 | Direct Immersion Kit; includes Hydraulic Feed Lines, Stinger Tube, and Lift Bracket |
| 249767 | OEM Kit; includes Hydraulic Engine/Head, Displacement Pump |
| 287916 | Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose |
| 287915 | Solvent-resistant Siphon Kit, 1.5 in diameter x 6.5 ft (2 m) Siphon Hose |



GH 733, GH 933, GH 2570, GH 5040 KITS

| PART # | DESCRIPTION |
|--------|--|
| 287843 | Direct Immersion Kit; includes Hydraulic Feed Lines, Stinger Tube and Lift Bracket; Fits GH 733, GH 833, GH 933, and GH 5040 |
| 16U764 | Direct Immersion Kit; includes Hydraulic Feed Lines, Stinger Tube, and Lift Bracket; Fits GH 2570 |
| 287936 | Non-solvent Siphon Kit, 2 in diameter x 6.5 ft (2 m) Siphon Hose |
| 17B825 | GH 933 Hi Flo Big 250 Gun and Hose Kit with XHF™ Gun |
| 16U757 | GH 733/GH 833 Big 250 Gun and Hose Kit with Heavy-Duty Gun |



QUIKCHANGE PUMP LOWERS

Exclusive QuikChange Pump Lower maximize production. Easily customize your Big Rig for each coating, without purchasing additional rigs! Each QuikChange Pump Lower Kit is sold separately. Big Rig Pump Lower Kits include Pump Lower, Tie Rods, and Rod Connector. Fits GH 733, GH 933, GH 1017, GH 2570, GH 5040 units only.

| PART # | DESCRIPTION |
|--------|------------------------------|
| 16U753 | GH 733 Pump Lower Kit |
| 16U755 | GH 933 Pump Lower Kit |
| 17B489 | GH 933 Hi Flo Pump Lower Kit |
| 16U751 | GH 1017 Pump Lower Kit |
| 16U752 | GH 2570 Pump Lower Kit |
| 16U754 | GH 5040 Pump Lower Kit |



HOPPERS AND FEED PUMPS



| PART # | DESCRIPTION |
|---------|---|
| 25D078 | 25 Gallon Material Hopper; Fits DutyMax GH 675DI, GH 733, GH 933, GH 5040, King E-Max XT 40, and King E-Max XT 70; includes Hopper, Lid, Coupling Hose, Elbow, Plugs, and Quick Disconnects |
| 16U505 | 12 Gallon Stainless Steel Material Hopper Kit; includes Hopper, Lid, Mounting Bracket, Fittings, Quick Disconnect; Fits GH 733, GH 933, GH 5040 |
| 24X570 | 10 Gallon Stainless Steel Material Hopper Kit; Includes Hopper, Lid, Mounting Bracket, Fittings, Quick Disconnect; Fits King E-Max XT 40 and King E-Max XT 70 |
| 25A423 | 5:1 Monark Feed Pump Kit Fits GH 933 |
| 2009959 | EFP-350 XT Feed Pump for GH933 & King E-Max 70 |
| 2008657 | EFP-350 XT Pro Connect Pump Lower |

ADDITIONAL GH LOWER KITS

| PART # | DESCRIPTION |
|--------|-------------------|
| 17U996 | GH 675 Pump Lower |
| 287384 | GH 833 Pump Lower |

KING E-MAX XT PROCONNECT LOWER KITS

Fits GH 733, GH 933, GH 1017, GH 2570, GH 5040

| PART # | DESCRIPTION |
|---------|---|
| 2009334 | King E-Max XT 40 Pro Connect Pump Lower |
| 2009332 | King E-Max XT 70 Pro Connect Pump Lower |



FLUIDS



| PART # | DESCRIPTION |
|--------|---|
| 243103 | Pump Armor – 1 qt (1 L) |
| 245133 | Pump Armor – 1 gal (3.8 L); Use Graco's exclusive Pump Armor™ for long-term pump storage to prohibit harmful rust and corrosion to your sprayer |
| 206994 | Throat Seal Liquid (TSL) – 8 oz (.24 L) |
| 206995 | Throat Seal Liquid (TSL) – 1 qt (1 L) |
| 206996 | Throat Seal Liquid (TSL) – 1 gal (3.8 L); Prolong the life of your pump by routinely adding TSL to your pump's wet cup |
| 207428 | Hydraulic Fluid – 1 gal (3.8 l) |

HOSE FITTINGS



| PART # | DESCRIPTION |
|--------|---|
| 17J816 | 3/4 in npt x 3/4 in npt (19 mm x 19 mm) – MBE; Maximum Working Pressure: 7250 psi (500 bar, 50 MPa) |
| 156971 | 1/4 in npt x 1/4 in npt (6.4 mm x 6.4 mm) – MBE; Maximum Working Pressure: 7500 psi (517 bar, 51.7 MPa) |
| 156849 | 3/8 in npt x 3/8 in npt (9.5 mm x 9.5 mm) – MBE; Maximum Working Pressure: 7250 psi (500 bar, 50 MPa) |
| 158491 | 1/2 in npt x 1/2 in npt (13 mm x 13 mm) – MBE; Maximum Working Pressure: 7250 psi (500 bar, 50 MPa) |
| 157350 | 1/4 in npt x 3/8 in npt (6.4 mm x 9.5 mm) – MBE; Maximum Working Pressure: 6000 psi (420 bar, 29 MPa) |
| 159239 | 1/2 in npt x 3/8 in npt (13 mm x 9.5 mm) – MBE; Maximum Working Pressure: 7250 psi (500 bar, 50 MPa) |

KING E-MAX XT FILTER KITS

| PART # | DESCRIPTION |
|---------|--|
| 2010825 | Filter Kit for King E-Max XT 40 and King E-Max XT 70; Includes mounting hardware and pressure transducer |

CONVERT DUTYMAX GH 675DI TO 3300 PSI – PERFECT FOR YOUR ACRYLIC JOBS

DutyMax 3300 psi Lower Kit – 17V188


- 3300 psi 3 gpm Direct Immersion Endurance Lower
- HD Blue Texture Gun
- Prime Valve
- 1/2" x 50" Blue Max Hose
- 3/8" x 11' Blue Max Whip Hose
- 30" Tip Extension
- 180 degree Tip Swivel
- RAC X 529 and 535 Tips and Guard
- All fittings



HEAVY-DUTY 18" JETROLLER



Remove roller and it becomes a 42" spray wand!



Fully adjustable handle for ultimate comfort

One-Step Spray and Back Roll With Less Overspray Than Conventional Airless Spray!

- Combines the speed of spray with the simplicity of rolling
- Fits 9-18" standard roller covers
- Pressure rated to 7250 psi
- Perfect for windy areas

Heavy-Duty Construction

- All-aluminum construction withstands jobsite abuse
- Toolless components adjust for maximum comfort

| PART # | DESCRIPTION |
|--------|----------------------------|
| 25D229 | Heavy-Duty 18 in JetRoller |

25 GALLON MATERIAL HOPPER



Fits GH 733, GH 5040, GH 933, and GH 675DI



Boost Productivity by Minimizing Refills

- Features no-tools connections
- Large, 25 gallon capacity
- Lid protects material and keeps debris out
- Long-length flexible coupling tube allows easy maneuvering without disconnecting

Heavy-Duty Construction

- Welded steel frame withstands jobsite abuse
- Durable polyethylene hopper allows easy cleanup and accepts standard 55 gallon garbage bag for an inexpensive liner

| PART # | DESCRIPTION |
|--------|---------------------------|
| 25D078 | 25 Gallon Material Hopper |

GRACO SPRAYER SPECIFICATIONS



| | | GMAX II 7900 ROOF RIG | DUTYMAX GH 675DI | GH 733 | GH 833 | GH 933 | GH 1017 | GH 2570 | GH 5040 | KING E-MAX 40 | KING E-MAX 70 |
|-----------------|---------------------------------------|---|---|--|---|---|------------------------------|---|---|---|---|
| MODEL* | Part Number | Complete – 17E835* | Complete – 25D223 Big 150 – 25D225 Big 150 with 25 Gallon Hopper – 25D226 | Bare Electric Start – 16U279 GH 733es Big 250 System – 16U778 | Bare – 249318 Complete – 249617 Bare Electric Start – 16U287 Complete Electric Start – 16U288 OEM Kit – 249767 Big 250 System – 16U780 GH 833es Big 250 System – 16U781 | Bare – 16U281 Complete – 16U282 Bare Electric Start – 16U285 Complete Electric Start – 16U286 Big 250 System – 16U783 GH 933es Big 250 System – 16U784 GH 933es Hi Flo Big 250 System – 17B488 GH 933es Hi Flo Big 250 System w/ 5:1 Monark® System – 25M283 GH 933es Hi Flo Big 250 System w/ EFP-350 XT – 2010956 | Bare Electric Start – 16U277 | Bare Electric Start – 16U278 GH 2570es Big 250 System – 16U776 | Bare Electric Start – 16U280 GH 5040es Big 250 System – 16U782 | King E-Max XT 40 230V Bare – 2010984 King E-Max XT 40 230V Complete – 2009112 King E-Max XT 40 Big 250 System – 2009124 | King E-Max XT 70 230V Bare – 2009104 King E-Max XT 70 230V Complete – 2009114 King E-Max XT 70 Big 250 System – 2009126 King E-Max XT 40 Big 250 System w/ EFP-350 – 2009124 |
| | SPECIFICATIONS | Maximum gpm (lpm) | 2.2 (8.3) | 1.5 (5.7) | 4.0 (15.1) | 4.0 (15.1) | 2.5 (9.5) | 16.5 (62.5) | 7.0 (26.5) | 3.5 (13.2) | 4.0 (15.1) |
| | Maximum psi (bar) | 3300 (227) | 6750 (465) | 4000 (276) | 4000 (276) | 7250 (500) | 1000 (70) | 2500 (172) | 5000 (345) | 4000 (276) | 7250 (500) |
| | Maximum Tip Size | .048 | .041 | .065 | .065 | .053 | N/A | N/A | .067 | .065 | .053 |
| | Engine | 200 cc Honda (6.5 HP) | 270 cc Honda (9.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | 390 cc Honda (13.0 HP) | Xtreme Torque 10 HP Electric | Xtreme Torque 10 HP Electric |
| | Electric Start | No | No | Yes | Available | Available | Yes | Yes | Yes | N/A | N/A |
| | Charging System (Electric Start only) | No | No | Honda 18 Amp | Honda 18 Amp | Honda 18 Amp | Honda 18 Amp | Honda 18 Amp | Honda 18 Amp | N/A | N/A |
| INCLUDES | Hose | 3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Airless | 1/2 in x 50 ft (12.7 mm x 15 m) Xtreme Duty | N/A | 3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Airless | 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless | N/A | N/A | N/A | 3/8 in x 50 ft (9.5 mm x 15 m) Blue Max II Airless | 3/8 in x 50 ft (9.5 mm x 15 m) Xtreme-Duty Airless |
| | Whip Hose | 1/4 in x 3 ft (6.4 mm x .9 m) Blue Max II Airless | 3/8 in x 10 ft (9.5 mm x 3 m) Xtreme Duty | N/A | 1/4 in x 3 ft (6.4 mm x .9 m) Blue Max II Airless | 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Airless | N/A | N/A | N/A | 1/4 in x 3 ft (6.4 mm x .9 m) Blue Max II Airless | 1/4 in x 6 ft (6.4 mm x 1.8 m) Xtreme-Duty Airless |
| | Gun | Heavy-Duty Blue | XTR-7 HF High Flow | N/A | Silver Plus | XTR-7 Airless XTR704 | N/A | N/A | N/A | Silver Plus | XTR-7 Airless XTR704 |
| | Tip | RAC X 427, 635 | XHD 523, 527, 531 | N/A | RAC X 517, 655 | 519 XHD RAC | N/A | N/A | N/A | RAC X 517, 655 | 519 XHD RAC |
| | Filter | Easy Out | No | No | Easy Out | Yes | No | No | No | Accessory | Accessory |
| | Pulsation Dampener | No | No | No | No | No | Yes | No | No | No | No |
| | Siphon Set | 5.0 gal Direct Immersion | 5.0 gal Direct Immersion | 1.25 in ID Nylon – 55 gal | 1.5 in ID PVC – 55 gal | 1.0 in ID Nylon – 55 gal | 2.0 in ID PVC – 55 gal | 2.0 in ID PVC – 55 gal | 2.0 in ID PVC – 55 gal | 1.5 in ID PVC – 55 gal and 5.0 gal Direct Immersion | 5.0 gal Direct Immersion |
| | Other | 18 in Tip Extension | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| PUMP | Interchangeable Lowers | No | Yes | Yes | No | Yes | Yes | Yes | Yes | Yes | Yes |
| | Pump Type | Endurance Vortex MaxLife Extreme with ProConnect 2 | Endurance Piston Quick-Change | Xtreme Piston Quick-Change | Endurance MaxLife Piston Quick-Change | Endurance Piston Quick-Change | Xtreme Piston Quick-Change | Xtreme Piston Quick-Change | Endurance Piston Quick-Change | Endurance ProConnect | Endurance ProConnect |
| | Packing | V-Max™ Blue | V-Max Blue/Leather | XtremeSeal/Leather | V-Max Blue | XtremeSeal/Leather | XtremeSeal/Leather | PTFE/Leather | XtremeSeal/Leather | XtremeSeal/Leather | XtremeSeal/Leather |
| | Piston Rod | MaxLife Extreme | Chromex™ | Chromex | MaxLife | Chromex | Hard Chrome | Hard Chrome | Chromex | Chromex | Chromex |
| | Cylinder | MaxLife | Hard Chrome | Hard Chrome | MaxLife | Hard Chrome | Hard Chrome | Hard Chrome | Hard Chrome | Hard Chrome | Hard Chrome |
| | Tie Rod | N/A N/A | N/A | Silver-16U336 | N/A | Silver-16U336 | Silver-16U336 | Gold-16U339 | Silver-16U336 | N/A | N/A |

*CARB APPROVED



graco.com/bigrigs



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco Big Rig sprayer is backed by the industry's best warranty coverage.

3-YEAR ENGINE WARRANTY*

If the engine fails from normal use, Honda or Briggs & Stratton will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics.
*See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again:

Receive up to 70% OFF the list price of an Endurance Pump.

Follow the registration instructions included with your sprayer.

For more information visit graco.com/contractor